



# DESK SCREENS

ezoBord



**ezoBord Desk Screens are a great way to absorb sound, add privacy, color and style in any open plan work space, enhancing speech intelligibility making every office space a better place to work in.**

A new generation surface material that both absorbs noise and is fully tackable.

Not just another desk divider... ezoBord desk screens are a welcome addition to any open plan office and are totally customizable for size, shape, hole pattern and color. They are also available in single or double layer to fit any budget or design. ezoBord desk screens are a great, eco-friendly alternative to fabric-covered desk screens.

Made with recycled plastic water bottles.

## STANDARD SHAPES

---



Straight Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-sgt-4812	48" (1219mm)	12" (305mm)
dsc-sgt-5412	54" (1372mm)	12" (305mm)
dsc-sgt-6012	60" (1524mm)	12" (305mm)
dsc-sgt-6612	66" (1676mm)	12" (305mm)
dsc-sgt-7212	72" (1829mm)	12" (305mm)
dsc-sgt-4816	48" (1219mm)	16" (406mm)
dsc-sgt-5416	54" (1372mm)	16" (406mm)
dsc-sgt-6016	60" (1524mm)	16" (406mm)
dsc-sgt-6616	66" (1676mm)	16" (406mm)
dsc-sgt-7216	72" (1829mm)	16" (406mm)
dsc-sgt-4824	48" (1219mm)	24" (610mm)
dsc-sgt-5424	54" (1372mm)	24" (610mm)
dsc-sgt-6024	60" (1524mm)	24" (610mm)
dsc-sgt-6624	66" (1676mm)	24" (610mm)
dsc-sgt-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ( $\frac{1}{2}$ " [12mm]) or double layer ( $\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---



Camelback Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-cmb-4812	48" (1219mm)	12" (305mm)
dsc-cmb-5412	54" (1372mm)	12" (305mm)
dsc-cmb-6012	60" (1524mm)	12" (305mm)
dsc-cmb-6612	66" (1676mm)	12" (305mm)
dsc-cmb-7212	72" (1829mm)	12" (305mm)
dsc-cmb-4816	48" (1219mm)	16" (406mm)
dsc-cmb-5416	54" (1372mm)	16" (406mm)
dsc-cmb-6016	60" (1524mm)	16" (406mm)
dsc-cmb-6616	66" (1676mm)	16" (406mm)
dsc-cmb-7216	72" (1829mm)	16" (406mm)
dsc-cmb-4824	48" (1219mm)	24" (610mm)
dsc-cmb-5424	54" (1372mm)	24" (610mm)
dsc-cmb-6024	60" (1524mm)	24" (610mm)
dsc-cmb-6624	66" (1676mm)	24" (610mm)
dsc-cmb-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ( $\frac{1}{2}$ " [12mm]) or double layer ( $\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---




Elliptical Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-elp-4812	48" (1219mm)	12" (305mm)
dsc-elp-5412	54" (1372mm)	12" (305mm)
dsc-elp-6012	60" (1524mm)	12" (305mm)
dsc-elp-6612	66" (1676mm)	12" (305mm)
dsc-elp-7212	72" (1829mm)	12" (305mm)
dsc-elp-4816	48" (1219mm)	16" (406mm)
dsc-elp-5416	54" (1372mm)	16" (406mm)
dsc-elp-6016	60" (1524mm)	16" (406mm)
dsc-elp-6616	66" (1676mm)	16" (406mm)
dsc-elp-7216	72" (1829mm)	16" (406mm)
dsc-elp-4824	48" (1219mm)	24" (610mm)
dsc-elp-5424	54" (1372mm)	24" (610mm)
dsc-elp-6024	60" (1524mm)	24" (610mm)
dsc-elp-6624	66" (1676mm)	24" (610mm)
dsc-elp-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ( $\frac{1}{2}$ " [12mm]) or double layer ( $\frac{3}{4}$ " [18mm]) screen.  
Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---




Square Holes Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-sqr-4812	48" (1219mm)	12" (305mm)
dsc-sqr-5412	54" (1372mm)	12" (305mm)
dsc-sqr-6012	60" (1524mm)	12" (305mm)
dsc-sqr-6612	66" (1676mm)	12" (305mm)
dsc-sqr-7212	72" (1829mm)	12" (305mm)
dsc-sqr-4816	48" (1219mm)	16" (406mm)
dsc-sqr-5416	54" (1372mm)	16" (406mm)
dsc-sqr-6016	60" (1524mm)	16" (406mm)
dsc-sqr-6616	66" (1676mm)	16" (406mm)
dsc-sqr-7216	72" (1829mm)	16" (406mm)
dsc-sqr-4824	48" (1219mm)	24" (610mm)
dsc-sqr-5424	54" (1372mm)	24" (610mm)
dsc-sqr-6024	60" (1524mm)	24" (610mm)
dsc-sqr-6624	66" (1676mm)	24" (610mm)
dsc-sqr-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ( $\frac{1}{2}$ " [12mm]) or double layer ( $\frac{3}{4}$ " [18mm]) screen.  
Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---




Circular Holes Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-cir-4812	48" (1219mm)	12" (305mm)
dsc-cir-5412	54" (1372mm)	12" (305mm)
dsc-cir-6012	60" (1524mm)	12" (305mm)
dsc-cir-6612	66" (1676mm)	12" (305mm)
dsc-cir-7212	72" (1829mm)	12" (305mm)
dsc-cir-4816	48" (1219mm)	16" (406mm)
dsc-cir-5416	54" (1372mm)	16" (406mm)
dsc-cir-6016	60" (1524mm)	16" (406mm)
dsc-cir-6616	66" (1676mm)	16" (406mm)
dsc-cir-7216	72" (1829mm)	16" (406mm)
dsc-cir-4824	48" (1219mm)	24" (610mm)
dsc-cir-5424	54" (1372mm)	24" (610mm)
dsc-cir-6024	60" (1524mm)	24" (610mm)
dsc-cir-6624	66" (1676mm)	24" (610mm)
dsc-cir-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ( $\frac{1}{2}$ " [12mm]) or double layer ( $\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---



Rectangular Modesty Screen



Rectangular Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
<b>Rectangular Modesty Screen</b>			
mpd-rec-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-rec-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-rec-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-rec-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-rec-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
<b>Rectangular Modesty Panel</b>			
mps-rec-4824	48" (1219mm)	24" (610mm)	⅜" (9mm)
mps-rec-5424	54" (1372mm)	24" (610mm)	⅜" (9mm)
mps-rec-6024	60" (1524mm)	24" (610mm)	⅜" (9mm)
mps-rec-6624	66" (1676mm)	24" (610mm)	⅜" (9mm)
mps-rec-7224	72" (1829mm)	24" (610mm)	⅜" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.



## STANDARD SHAPES



Crescent Modesty Screen



Crescent Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
<b>Crescent Modesty Screen</b>			
mpd-cst-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-cst-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-cst-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-cst-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-cst-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
<b>Crescent Modesty Panel</b>			
mps-cst-4824	48" (1219mm)	24" (610mm)	⅜" (9mm)
mps-cst-5424	54" (1372mm)	24" (610mm)	⅜" (9mm)
mps-cst-6024	60" (1524mm)	24" (610mm)	⅜" (9mm)
mps-cst-6624	66" (1676mm)	24" (610mm)	⅜" (9mm)
mps-cst-7224	72" (1829mm)	24" (610mm)	⅜" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES



Elliptical Modesty Screen



Elliptical Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
<b>Elliptical Modesty Screen</b>			
mpd-elp-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-elp-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-elp-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-elp-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-elp-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
<b>Elliptical Modesty Panel</b>			
mps-elp-4824	48" (1219mm)	24" (610mm)	⅜" (9mm)
mps-elp-5424	54" (1372mm)	24" (610mm)	⅜" (9mm)
mps-elp-6024	60" (1524mm)	24" (610mm)	⅜" (9mm)
mps-elp-6624	66" (1676mm)	24" (610mm)	⅜" (9mm)
mps-elp-7224	72" (1829mm)	24" (610mm)	⅜" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES



Study Carrel - Round Edges




Study Carrel - Square Edges

PART NUMBER	WIDTH	LENGTH	DEPTH	SIDE	BACK
<b>Round Edges</b>					
stc-rnd-2448	48" (1219mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-rnd-2460	60" (1524mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-rnd-2472	72" (1829mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
<b>Square Edges</b>					
stc-sqr-2448	48" (1219mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-sqr-2460	60" (1524mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-sqr-2472	72" (1829mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## STANDARD SHAPES

---



PART NUMBER	WIDTH	LENGTH	THICKNESS
rsc-qtr-2416	24" (610mm)	16" (406mm)	3/8" (9mm)
rsc-qtr-3016	30" (762mm)	16" (406mm)	3/8" (9mm)
rsc-qtr-2424	24" (610mm)	24" (610mm)	3/4" (18mm)
rsc-qtr-3024	30" (762mm)	24" (610mm)	3/4" (18mm)


Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## COMPONENTS

---



Screen(s)



## RECOMMENDED HARDWARE (NOT INCLUDED)


---



Surface Mount  
PJ-3



Surface Mount  
PJ-9



Under Mount  
PJ-4



## CUSTOMIZABLE PARAMETERS

---

### Geometric Properties

Length and width.

### Material Thickness

Select desk screens available in  $\frac{3}{8}$ " (9mm)  
or  $\frac{1}{2}$ " (12mm)

### Color

Each panel can be manufactured with  
different color



## SPECIFICATIONS

---

### Shapes

Standard desk screens available in 5 shapes. Study Carrels available in 2 shapes. Modesty Panels available in 3 shapes. Modesty Screens available in 3 shapes. Return screen available in 1 shape.

### Thickness

Available in two material thicknesses:

- 3/8" (9mm) | ±0.5mm
- 1/2" (12mm) | ±0.5mm

### Composition

100% PET (min. %50 recycled content)

### Product Variances

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

### Cleaning

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

### Fire Testing

- North America:
  - ASTM E-84 Class A\*
  - CAN ULC S102-10
- Europe and UK:
  - EN13501-1: 2007

### Installation

Can be installed on any worksurface using our universal bracket hardware system.

### Acoustics

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- 3/8" (9mm): NRC 0.75 (subject to mounting conditions and geometrical properties)
- 1/2" (12mm): NRC 0.85 (subject to mounting conditions and geometrical properties)

### USGBC LEED v4 Credits

While individual products do not 'earn' LEED credits, ezoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).

### Environment

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.



\* Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant.

## NOISE REDUCTION - 3/8" (9mm)

### Constructed from


3/8" (9mm) ezoBord

### Mount Method

D50 Mount Wall Panel

### SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.75	0.76	0.13	0.33	0.70	0.98	1.03	0.93



## NOISE REDUCTION - 3/8" (9mm)

### Constructed from


3/8" (9mm) ezoBord

### Mount Method

Direct Mount

### SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.31	0.30	0.08	0.06	0.16	0.39	0.62	0.79





## STANDARD COLORS - 3/8" (9mm)

---




PB09  
PURE BLACK



CG06  
CHARCOAL GRAY




ES07  
EBONY SLATE




DG34  
DARK GRAY




SG04  
SILVER GRAY



CW04  
CLASSIC WHITE



LB01  
LIGHT BEIGE



DS10  
DESERT SAND



SD18  
SUNNY DAYS



TO24  
TIGER ORANGE



RR28  
RUBY RED



DP30  
DEEP PURPLE



MN12  
MIDNIGHT NAVY



PI14  
POLAR ICE



GA41  
GREEN APPLE

## STANDARD COLORS - 1/2" (12mm)

---



PB09  
PURE BLACK




CG06  
CHARCOAL GRAY



BG07  
BOLD GRAY



EG11  
ELEPHANT GRAY




SG04  
SILVER GRAY



CW04  
CLASSIC WHITE




DS10  
DESERT SAND



TB35  
TREE BARK



SD18  
SUNNY DAYS



BR34  
BRICK RED



GV36  
GRAPE VINE



RB08  
ROYAL BLUE



PI14  
POLAR ICE



OB14  
OCEAN BLUE



MG10  
MOSS GREEN



## CONNECT WITH US

[www.ezoBord.com](http://www.ezoBord.com)

 [@ezobord](https://www.instagram.com/ezobord)

 [@ezobord](https://twitter.com/ezobord)

 [linkedin.com/company/ezobord](https://www.linkedin.com/company/ezobord)

ezoBord is a registered trademark of iVekter Inc.

## USA

Ayrsonics Midwest LLC  
170 Prairie Lake Rd  
East Dundee, IL 60118  
1-800-517-0686  
[sales@mw.ayrsonics.com](mailto:sales@mw.ayrsonics.com)

## CANADA

Ayrsonics Inc.  
825 Trillium Drive  
Kitchener ON N2R 1J9  
1-844-441-1122  
[sales@ayrsonics.com](mailto:sales@ayrsonics.com)

## UNITED KINGDOM

ezoBord UK LTD  
Unit 20  
Westwood Business Park  
Margate, Kent, CT9 4JJ  
+44 7981 111236  
[sales@ezobord.co.uk](mailto:sales@ezobord.co.uk)