




# FULL SHEET

CLOUD

ezoBord 



**ezoBord Full Sheet Clouds are a stylish addition to any ceiling, easy to install, and can be customized through the use of wide array of standard ezoBord colors.**

A new generation of ceiling clouds - sound dampening, free-hanging and designed for style.

Stylish ezoBord Full Sheet Clouds are a series of sound absorbing suspended panels that redefine interior open spaces.


Adjustable to various heights and angles, and installed from deck, ceilings, drywall, standard T bar suspension systems.

## STANDARD SHAPES

---



Circle



Orbit



Bamboo

PART NUMBER	WIDTH	LENGTH	THICKNESS	HEIGHT
<b>Circle</b>				
sht-cir-4896	48" (1219mm)	96" (2438mm)	3/8" (9mm)	3/4" (18mm)
<b>Orbit</b>				
sht-orb-4896	48" (1219mm)	96" (2438mm)	3/8" (9mm)	3/4" (18mm)
<b>Bamboo</b>				
sht-bam-4896	48" (1219mm)	96" (2438mm)	3/8" (9mm)	3/4" (18mm)


Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

## COMPONENTS

---



Cloud



## RECOMMENDED HARDWARE (NOT INCLUDED)

---



Upper Wire Suspension  
CF6-01



Wire  
WR116



Cable Grippers  
CG-7250



## CUSTOMIZABLE PARAMETERS

### Geometric Properties

Length and width

### Pattern

Custom patterns are available

### Color

Each panel can be manufactured with different color

### Digital Print

Custom graphics and textures can be printed on panels

### Scalability

Larger areas can be covered with invisible joints



## SPECIFICATIONS

---

### Patterns

3 standard patterns available.

### Sizes

Available in one size:

- 48" (1219mm) × 96" (2438mm)

Available in one heights:

- ¾" (18mm)

### Thickness

Available in one material thickness:

- ⅜" (9mm) | ±0.5mm

### Composition

100% PET (min. %50 recycled content)

### Product Variances

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

### Cleaning

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

### Fire Testing

- North America:
  - ASTM E-84 Class A\*
  - CAN ULC S102-10
- Europe and UK:
  - EN13501-1: 2007

### Installation

Designed to be quick and easy to install from a deck or through a suspended T bar ceiling, Full Sheet Clouds can be adjusted to various heights and angles. Check with local building code authorities for allowable applications.

### Acoustics

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- ⅜" (9mm): NRC 0.75 (subject to mounting conditions and geometrical properties)
- ½" (12mm): NRC 0.85 (subject to mounting conditions and geometrical properties)

### USGBC LEED v4 Credits

While individual products do not 'earn' LEED credits, ezoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).

### Environment

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.



\* Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant.

## NOISE REDUCTION - 3/8" (9mm)

### Constructed from


3/8" (9mm) ezoBord

### Mount Method

D50 Mount Wall Panel

### SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.75	0.76	0.13	0.33	0.70	0.98	1.03	0.93



## STANDARD COLORS - 3/8" (9mm)

---



PB09  
PURE BLACK



CG06  
CHARCOAL GRAY




ES07  
EBONY SLATE




DG34  
DARK GRAY




SG04  
SILVER GRAY



CW04  
CLASSIC WHITE



LB01  
LIGHT BEIGE



DS10  
DESERT SAND



SD18  
SUNNY DAYS



TO24  
TIGER ORANGE



RR28  
RUBY RED




DP30  
DEEP PURPLE



MN12  
MIDNIGHT NAVY



PI14  
POLAR ICE




GA41  
GREEN APPLE






## CONNECT WITH US

[www.ezoBord.com](http://www.ezoBord.com)

 [@ezobord](https://www.instagram.com/ezobord)

 [@ezobord](https://twitter.com/ezobord)

 [linkedin.com/company/ezobord](https://www.linkedin.com/company/ezobord)

ezoBord is a registered trademark of iVekter Inc.

## USA

Ayrsonics Midwest LLC  
170 Prairie Lake Rd  
East Dundee, IL 60118  
1-800-517-0686  
[sales@mw.ayrsonics.com](mailto:sales@mw.ayrsonics.com)

## CANADA

Ayrsonics Inc.  
825 Trillium Drive  
Kitchener ON N2R 1J9  
1-844-441-1122  
[sales@ayrsonics.com](mailto:sales@ayrsonics.com)

## UNITED KINGDOM

ezoBord UK LTD  
Unit 20  
Westwood Business Park  
Margate, Kent, CT9 4JJ  
+44 7981 111236  
[sales@ezobord.co.uk](mailto:sales@ezobord.co.uk)