

SUMMIT







MEET SUMMIT

Where Geometry meets Peak Performance!


The performance of acoustic panels depends on material and geometry.

EzoBord's three-dimensional Summit baffle system proves that bringing the right combination of materials and design-work can lead to astonishing improvements in acoustic performance.

With an incredible acoustic performance of NRC 1.30 (Type A - direct applied), the Summit system perfectly balances high performance acoustics with high design, high-performance treatment options to the acoustic panel market.

BAFFLE SYSTEMS





SULPHUR

Sulphur Mountain, named for the two sulphurous hot springs found on its lower slopes, will amaze you with awe-inspiring 360-degree views of six mountain ranges, the Bow Valley, and the town of Banff.




THREE SISTERS

They are referred to individually as Big Sister, Middle Sister and Little Sister, the name refers to a story of Ĩ-ktomnĩ, the old man or trickster, who would promise 'three sisters' in marriage whenever he was in trouble.




CASTLE

The mountain's castellated, or castle-like, appearance is
Is a pyramidal peak mountain located on the Great limestone, dolomite and quartzite



ASSINIBOINE

a result of erosive processes acting at different rates on Divide, on the British Columbia/Alberta border in the peak's alternating layers of softer shale and harder Canada. At 3,618 m, it is the highest peak in the Southern Continental Ranges of the Canadian Rockies.



CROWSNEST

This one is a scenic mountain in the southern Rockies. It can be seen from Alberta Highway 3 west of the town of Coleman in the Crowsnest Pass

YAMNUSKA

Yamnuska translates to "wall of stone" and is derived from the Stoney Nakoda word lyamnathka that describes steep cliffs or "the flat faced mountain."






SPECIFICATIONS


BAFFLE SYSTEMS





NOISE REDUCTION

APPARENT NRC: 1.30
APPARENT SAA: 1.29



WIDTH 23.5"(596mm) **THICKNESS** 1/2" (12mm)

LENGTH 95.94" (2436 mm) **HEIGHT** 9" (228mm)

COMPOSITION

100% PET (min. %50 recycled content)

Available in one length, height and, width:

Product Variances

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

CLEANING

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

FIRE TESTING

NORTH AMERICA:

- · ASTM E-84 Class A*
- CAN ULC S102-10

EUROPE AND UK:

· EN13501-1: 2007

ACOUSTICS

Refer to ASTM C423 test chart for specific absorption rates/frequency.

• ½" (12mm): NRC 1.30

(subject to mounting conditions and geometrical properties)


ENVIRONMENT

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.


USGBC LEED V4 CREDITS


While individual products do not 'earn' LEED credits, ezoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).



^{*} Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant





COLOR & FINISHES

COLORS 12 mm



WOOD PRINT FINISH





NICE TO HAVE

Wood grain print options are available for the body portion only. Standard 12mm colors are required for all end cap conditions.

ENVIRONMENT

Our Commitment to the Environment

consumed around the world each year, and only about half of those get recycled. The rest end up in landfills, littered through our neighborhoods, or floating in our oceans.

Bottled water consumption has more than doubled since 2000; in 2015 there was the equivalent of more than 5 bottles of water consumed for every person in the USA every single week. This, of course, means that the the water bottling process continues to grow.

In 2007, the last year global statistics of oil consumption were available, between 32 million and 54 million barrels There are approximately 50 billion water bottles of oil were used to produce the bottled water that was consumed in the USA alone. This energy is used to make the bottles from PET pellets (1 million tons in the USA), treat water, bottle the water, label the bottles, and transport the bottled water. Most of the energy consumption occurs in the creation of the bottles themselves. To help in the lifecycle of this plastic product, we have chosen to manufacture our material so that it recycles these PET bottles. We are doing our part to reduce the waste. This acoustical and tackable material amount of oil required to produce the energy used for is made from PET bottles in a zero-waste process with postindustrial recycling. An environmentally friendly, sustainable, and waste reduced alternative to traditional acoustical/tackable material that looks great in any office, education, or open space installation.

ezoBord is




- · low VOC
- · formaldehyde free

DID YOU KNOW...



For every pound of recycled PET bottles (approximately 23) energy use is reduced by 84% and greenhouse gas emissions are reduced by 71%.

± 36 PET BOTTLES



are used to make one 9mm thick ezoBord sheet





CANADA

Ayrsonics Inc - Ontario

825 Trillium Drive Kitchener, Ontario N2R 1J9 P: 1-844-441-1122 sales@ayrsonics.com

Ayrsonics Inc - Alberta

#9112 - 52nd St. S.E. Calgary, Alberta T2C 5A9 P: 1-844-441-1122 sales@ayrsonics.com

UNITED STATES

Ayrsonics

Mid West LLC

170 Prairie Lake Rd East Dundee, IL 60118 P: 1-800-517-0686 sales@mw.ayrsonics.com

New England

32 Hampshire Rd Salem, NH 03079 P: 603-824-9338 ext. 3001 P: 603-327-4349 sales@ne.ayrsonics.com

Southwest

1700 1st Street San Fernando, CA 91340 P: 213-833-9700 sales@sw.ayrsonics.com

ezoBord Head Office

6845 Rexwood Road, Unit 7 Mississauga, ON L4V 1S5 Canada FAX +1 416 665 3571 info@ezobord.com

FOLLOW US







ezobord.com